
Flask-Pure Documentation

Release 0.1

Philip Xu

March 23, 2016

1	Quick Start	3
2	License	5
3	Links	7
4	Configuration	9
5	Template	11
6	API	13
	Python Module Index	15

Flask-Pure is an extension to [Flask](#) that helps integrate [Pure.css](#) to your Flask application.

Quick Start

0. Installation

```
pip install Flask-Pure
```

1. Configuration

```
from flask import Flask, render_template
from flask.ext.pure import Pure

app = Flask(__name__)
app.config['PURECSS_USE_CDN'] = True
app.config['PURECSS_USE_MINIFIED'] = True
Pure(app)

@app.route('/')
def hello():
    return render_template('hello.html')

if __name__ == '__main__':
    app.run(debug=True)
```

2. In templates/hello.html:

```
{% extends "pure/layout.html" %}
{% block title %}Hello world from flask-pure{% endblock %}

{% block nav %}
<div class="pure-menu pure-menu-horizontal">
  <!-- ... -->
</div>
{% endblock %}

{% block content %}
  <h1>Hello world</h1>
{% endblock %}
```

3. Profit!

License

BSD New, see LICENSE for details.

Links

- [Documentation](#)
- [Issue Tracker](#)
- [Source Package @ PyPI](#)
- [Mercurial Repository @ bitbucket](#)
- [Git Repository @ Github](#)
- [Git Repository @ Gitlab](#)
- [Development Version](#)

Configuration

Option	Description
PURECSS_USE_CDN	If <code>True</code> , css files will be served from CDN. If <code>False</code> , local copies of css files will be served. Default value is <code>True</code> .
PURECSS_USE_MINIFIED	If <code>True</code> , the minified version of css files will be used. Default value is <code>True</code>

Template

In addition to provide Pure.css static assets, Flask-Pure comes with HTML5 template located in `pure/layout.html` for layout.

Predefined Blocks	Purpose
<code>html_attribs</code>	<code><html></code> 's attributes
<code>head</code>	all content inside <code><head></code> and <code></head></code>
<code>meta</code>	for all <code><meta></code> tags
<code>title</code>	content inside <code><title></code> and <code></title></code>
<code>style</code>	links to css stylesheets
<code>body_attribs</code>	<code><body></code> 's attributes
<code>body</code>	all content inside <code><body></code> and <code></body></code>
<code>nav</code>	navigation links
<code>content</code>	main content
<code>script</code>	embedded javascript

Flask-Pure - a Flask extension for Pure.css

`flask_pure.get_css_links()`
context processor to generate css link as `purecss_stylesheets`

class `flask_pure.Pure` (*app=None*)
Flask-Pure extension

provides base template layout as `pure/layout.html` and links to the Pure.css static assets.

init_app (*app*)
create and register a blueprint with the Flask application.

Parameters **app** – Flask application instance

f

`flask_pure`, 13

F

`flask_pure` (module), [13](#)

G

`get_css_links()` (in module `flask_pure`), [13](#)

I

`init_app()` (`flask_pure.Pure` method), [13](#)

P

`Pure` (class in `flask_pure`), [13](#)