

---

# Flask-Pure Documentation

*Release 0.4*

**Philip Xu**

December 20, 2016



|           |                              |           |
|-----------|------------------------------|-----------|
| <b>1</b>  | <b>Quick Start</b>           | <b>3</b>  |
| <b>2</b>  | <b>How It Works</b>          | <b>5</b>  |
| <b>3</b>  | <b>License</b>               | <b>7</b>  |
| <b>4</b>  | <b>Links</b>                 | <b>9</b>  |
| <b>5</b>  | <b>Caveat</b>                | <b>11</b> |
| <b>6</b>  | <b>Configuration</b>         | <b>13</b> |
| 6.1       | PURECSS_CDN values . . . . . | 13        |
| <b>7</b>  | <b>Template</b>              | <b>15</b> |
| <b>8</b>  | <b>Pure.css Version</b>      | <b>17</b> |
| <b>9</b>  | <b>API</b>                   | <b>19</b> |
| <b>10</b> | <b>Contributors</b>          | <b>21</b> |
| <b>11</b> | <b>Changelog</b>             | <b>23</b> |
| 11.1      | Version 0.4 . . . . .        | 23        |
| 11.2      | Version 0.3 . . . . .        | 23        |
| 11.3      | Version 0.2 . . . . .        | 23        |
| 11.4      | Version 0.1 . . . . .        | 23        |
|           | <b>Python Module Index</b>   | <b>25</b> |



Flask-Pure is an extension to [Flask](#) that helps integrate [Pure.css](#) to your Flask application.



---

## Quick Start

---

### 0. Installation

```
pip install Flask-Pure
```

### 1. Configuration

```
from flask import Flask, render_template
from flask_pure import Pure

app = Flask(__name__)
app.config['PURECSS_RESPONSIVE_GRIDS'] = True
app.config['PURECSS_USE_CDN'] = True
app.config['PURECSS_USE_MINIFIED'] = True
Pure(app)

@app.route('/')
def hello():
    return render_template('hello.html')

if __name__ == '__main__':
    app.run(debug=True)
```

### 2. In templates/hello.html:

```
{% extends "pure/layout.html" %}
{% block title %}Hello world from flask-pure{% endblock %}

{% block nav %}
<div class="pure-menu pure-menu-horizontal">
    <!-- ... -->
</div>
{% endblock %}

{% block content %}
    <h1>Hello world</h1>
{% endblock %}
```

### 3. Profit!



---

## How It Works

---

Once registered, this extension provides a template variable called `pure`, it has a property named `css` that will be rendered as HTML `<link>` tag to the Pure.css stylesheets either from free CDN or be served from a bundled blueprint, also called `pure`.

A `{} pure.css {}` inside `<head>` tag is all you need.

A bare bone HTML5 template is also available as `pure/layout.html`. Please check out the example in code repository and documentation for details.



## **CHAPTER 3**

---

### **License**

---

BSD New, see LICENSE for details.



### Links

---

- Documentation
- Issue Tracker
- Source Package @ PyPI
- Mercurial Repository @ bitbucket
- Git Repository @ Github
- Git Repository @ Gitlab
- Development Version



---

**Caveat**

---

The stylesheet provided by template variable `pure.css` is the ‘Rollups’ version with all the modules in Pure. The responsive grids module that included by default can be turned off explicitly.

Thus, this extension is an ‘all-or-nothing’ approach, there is no plan to support selectable modules currently, as it is so trivial to roll your own.

The conditional IE 8/9 hack are not included, please refer to Pure’s official documentation if this is the concern.



---

## Configuration

---

| Option                   | Description   |
|--------------------------|---|
| PURECSS_RESPONSIVE_GRIDS | If <code>True</code> , the responsive grids module will be included as well. Default value is <code>True</code>   |
| PURECSS_USE_CDN          | If <code>True</code> , css files will be served from CDN. If <code>False</code> , local copies of css files will be served. Default value is <code>True</code>                                      |
| PURECSS_CDN              | If <code>PURECSS_USE_CDN</code> is <code>True</code> , css files will be served from this CDN. Default value is <code>unpkg</code> , as recommended by Pure.css, for list of CDNs, see next section |
| PURECSS_USE_MIN          | If <code>True</code> , the minified version of css files will be used. Default value is <code>True</code>   |

### 6.1 PURECSS\_CDN values

Available CDNs as listed on <http://purecss.io/>

| CDN        | PURECSS_CDN Value |
|------------|-------------------|
| unpkg      | unpkg             |
| cdnjs      | cdnjs             |
| jsDelivr   | jsdelivr          |
| KeyCDN     | keycdn            |
| OSS MaxCDN | maxcdn            |
| RawGit     | rawgit            |
| Staticfile | staticfile        |



---

## Template

---

In addition to providing Pure.css static assets, Flask-Pure comes with HTML5 template located in `pure/layout.html` for layout.

| Predefined Blocks         | Purpose   |
|---------------------------|---|
| <code>html_attribs</code> | <code>&lt;html&gt;</code> 's attributes                                     |
| <code>head</code>         | all content inside <code>&lt;head&gt;</code> and <code>&lt;/head&gt;</code> |
| <code>meta</code>         | for all <code>&lt;meta&gt;</code> tags                                      |
| <code>title</code>        | content inside <code>&lt;title&gt;</code> and <code>&lt;/title&gt;</code>   |
| <code>style</code>        | links to css stylesheets  |
| <code>body_attribs</code> | <code>&lt;body&gt;</code> 's attributes                                     |
| <code>body</code>         | all content inside <code>&lt;body&gt;</code> and <code>&lt;/body&gt;</code> |
| <code>nav</code>          | navigation links  |
| <code>content</code>      | main content  |
| <code>script</code>       | embedded javascript   |



---

## Pure.css Version

---

The bundled version of Pure.css is v0.6.1



### API

---

Flask-Pure - a Flask extension for Pure.css

**class flask\_pure.Pure (app=None)**  
Flask-Pure extension

provides base template layout as `pure/layout.html` and links to the Pure.css static assets.

**css**  
property the will be rendered as Pure.css <link> tags

**init\_app (app)**  
create and register a blueprint with the Flask application.

**Parameters app** – Flask application instance



### Contributors

---

A huge thanks to all of our contributors:

- Bastian Kuhn <<https://github.com/Bastian-Kuhn>>
- Philip Xu <<https://github.com/pyx>>



## Changelog

---

### 11.1 Version 0.4

- Updated Pure.css version to 0.6.1
- Added alternate CDNs support

### 11.2 Version 0.3

- Switched CDN url to https version (Contributed by Bastian Kuhn)

### 11.3 Version 0.2

- Added option to turned off the responsive grids module
- Used an instance of extension as namespace instead of a single template variable

### 11.4 Version 0.1

- Initial public release



f

[flask\\_pure](#), 19



## C

`css` (`flask_pure.Pure` attribute), 19

## F

`flask_pure` (module), 19

## I

`init_app()` (`flask_pure.Pure` method), 19

## P

`Pure` (class in `flask_pure`), 19